

INPUT CHOKE

Order code	Hp	KW	AMP	mH	Amp	L	B	H	X	Y	SLOT SIZE	Total weight	Figure Type
LL3AO0004F	2	1.5	4	3.1	4	105	100.0	100	76	60	8X20	1.1	A
LL3AQ0006F	3	2.2	6.1	2.24	6.3	105	105.0	100	76	65	8X20	1.6	A
LL3AQ0009F	4	3	8	1.55	9.1	105	105.0	100	76	65	8X20	1.6	A
LL3AQ0011F	5	4	10.2	1.26	11.2	140	105.0	125	102	65	8X20	2.4	A
LL3AQ0016F	7.5	5.5	13.2	0.881	16	140	105.0	100	102	65	8X20	2.7	B
LL3AQ0018F	10	7.5	17.5	0.783	18	140	110.0	100	102	75	8X20	3.3	B
LL3AH0028F	15	11	25.5	0.503	28	140	120.0	100	102	80	8X20	3.9	B
LL3AQ0035F	20	15	34	0.397	35.5	175	110.0	120	127	75	8X20	5.0	B
LL3AQ0040F	25	18.5	37.5	0.352	40	180	130.0	140	120	90	8X20	8.0	B
LL3AQ0050F	30	22	47	0.282	50	180	120.0	140	120	80	8X20	6.5	B
LL3AH0063F	40	30	59	0.224	63	180	130.0	140	120	90	8X20	8.7	B
LL3AI0080F	50	37	72	0.176	80	280	135.0	185	203	82	13X28	12.1	C
LL3AQ0100F	60	45	92	0.141	100	280	150.0	185	203	95	13X28	15.8	C
LL3AQ0125F	75	55	124	0.113	125	240	120.0	205	160	80	8X20	15.8	C
LL3AH0160F	100	75	146	0.0881	160	240	140.0	205	160	100	8X20	20.3	C
LL3AL0200F	120	90	186	0.0704	200	240	140.0	205	160	100	8X20	21.5	C
LL3AQ0224F	150	110	210	0.0629	224	240	150.0	205	160	110	8X20	24.8	C
LL3AQ0280F	175	132	260	0.0503	280	300	170.0	255	200	115	13X28	31.8	C
LL3AQ0315F	215	160	315	0.044	315	300	160.0	255	200	105	13X28	32.4	C
LL3AH0400F	270	200	370	0.0352	400	300	180.0	255	200	125	13X28	43.1	C

OUTPUT CHOKE

Order code	Hp	KW	AMP	mH	Amp	L	B	H	X	Y	SLOT SIZE	Total weight	Figure Type
LL3BU0004F	1.5	1.1		5.2	4	104.78	95	100	76.2	60	8X20	1.066507	A
LO3BU0006F	3	2.2	6.1	3.4	6.1	104.78	105	100	76.2	66.4	8X20	2.20032	A
LO3AP0010F	4	3	8	1.243	10.2	104.78	110	100	76.2	75	8X20	1.64177	A
LO3AP0010F	5	4	10.2	1.243	10.2	104.78	110	100	76.2	75	8X20	1.64177	A
LO3AH0017F	7.5	5.5	13.2	0.483	17.5	139.7	95	120	101.6	60	8X20	1.825216	B
LO3AH0017F	10	7.5	17.5	0.483	17.5	139.7	95	120	101.6	60	8X20	1.825216	B
LO3AH0025F	15	11	25.5	0.332	25.5	139.7	105	120	101.6	65	8X20	2.35055	B
LO3AH0034F	20	15	34	0.249	34	174.63	105	145	127	65	8X20	3.516531	B
LO3AH0047F	25	18.5	37.5	0.18	47	174.63	105	145	127	65	8X20	3.79173	B
LO3AH0047F	30	22	47	0.18	47	174.63	105	145	127	65	8X20	3.79173	B
LO3AB0072F	40	30	59	0.059	72	180	110	165	120	70	8X20	4.50872	B
LO3AB0072F	50	37	72	0.059	72	180	110	165	120	70	8X20	4.50872	B
LO3AB0092F	60	45	92	0.046	92	180	110	165	120	70	8X20	4.830938	C
LO3AB0146F	75	55	124	0.029	146	180	120	165	120	80	8X20	7.71178	C
LO3AB0146F	100	75	146	0.029	146	180	120	165	120	80	8X20	7.71178	C
LO3AB0186F	120	90	186	0.023	186	180	130	165	120	90	8X20	9.527177	C
LO3AB0260F	150	110	210	0.016	260	240	120	230	160	80	8X20	14.8671	C
LO3AB0260F	175	132	260	0.016	260	240	120	230	160	80	8X20	15.4171	C
LO3AQ0315F	215	160	315	0.013	315	240	125	230	160	85	8X20	18.34191	C
LO3AB0370F	270	200	370	0.011	370	240	125	230	160	85	8X20	19.3415	C

GA DRAWING:-

